



Guidance Coronavirus 2019 (COVID-19): Guidance for Intermediate Care Facilities (ICF)

This document provides COVID-19 guidance to intermediate care facilities (ICF). Given the critical importance in limiting COVID-19 exposure in such facilities, decisions on relaxing restrictions must be made with careful review of a number of facility-level and community cases, and in collaboration with Department on Disability Services (DDS) and DC Health. Support and interdisciplinary teams must consider this guidance when developing a person-centered plan to mitigate risk for persons living in the ICF. Except for current mandates in effect under a Mayor's Order or other existing local or federal regulation, any definitive action statements made in this guidance (e.g., "must") are considered essential best practice recommendations to mitigate the spread of COVID-19. This guidance is <u>not</u> intended for community residence facilities for the elderly and physically disabled (Chapter 34) or for persons with intellectual disabilities (Chapter 35), mental health community residence facilities (MHCRF), nursing homes or assisted living facilities. For guidance on these other settings, please visit <u>coronavirus.dc.gov</u>.

Activity	Guidance
	 Fully vaccinated¹ persons living in the ICF should wear well-fitting face masks when they are: Outside the ICF when indoors Outside the ICF in a crowded location Outside the ICF around people who are unvaccinated or with unknown vaccination status Around others in the ICF and are experiencing symptoms of COVID-19, are positive for COVID-19, or have been exposed to a person with confirmed COVID-19 Around others in the ICF during visitation
Personal Protective Equipment (PPE)	 Fully vaccinated persons¹ who are living in the ICF and are not immunocompromised do not have to wear a mask when they are: Outside the ICF (in an outdoor setting) around other non-household persons who are verified to be fully vaccinated (e.g., family members, adult day providers) Outdoors, except in crowded settings and venues Visiting with unvaccinated people (including children) from a single household provided the visit takes place outdoors Persons living in the ICF who are immunocompromised (regardless of vaccination status) or not fully vaccinated should wear masks when they are: Outside the ICF at all times Experiencing symptoms of COVID-19, are positive for COVID-19, or under quarantine due to COVID-19 exposure, and are around others in the ICF Masks should NOT be worn by anyone who is unconscious, incapacitated or otherwise unable to remove the mask without assistance. Direct care staff² must follow <i>Required Personal Protective Equipment (PPE) for Healthcare Facilities</i> AND <i>Screening in a Healthcare Setting</i> at, coronavirus.dc.gov/healthguidance.

¹ Fully Vaccinated: An individual is considered fully vaccinated 14 days after completion of a COVID-19 vaccination series (after the second dose of a 2-dose series, or after one dose of a single-dose vaccine). More information can be found in *Guidance for Quarantine after COVID-19 Exposure* at coronavirus.dc.gov/healthguidance.

² Direct care staff: All paid or unpaid staff who have direct contact and provide care services to persons in the ICF.





Activity	Guidance
	Persons living in the ICF who meet the following criteria may participate in group dining:
Group Dining	Not currently isolated due to COVID-19 infection
	 Not experiencing symptoms of COVID-19 or under quarantine for exposure,
	 Previously positive for the virus that causes COVID-19 AND have been cleared from isolation using the
	symptom-based or time-based clearance method
	Direct care personnel should dine at dedicated staff areas, if possible, and maintain social distance regardless of vaccination status.
	PLEASE NOTE: Communal dining will increase the risk of COVID-19 spreading in your facility. Please be cautious and ensure that all applicable screening and testing practices are in place before implementing any level of communal dining. For persons not living in the ICF (e.g., direct service providers), please do everything possible to facilitate social distancing when applicable (such as removing chairs, spacing tables at least 6 feet apart, using visual cues or markers, staggering mealtimes, ensuring access to hand hygiene supplies, ensuring robust cleaning <and as="" disinfection="" needed=""> of the dining area, etc.). When determining whether a given person should participate, consider the person's ability to comply consistently with masking and social distancing, and the person's comfort level with activity.</and>
	Allow entry of non-essential healthcare personnel/contractors.
Non-Essential Medical Providers	Consider telemedicine options as much as possible.
	All non-essential personnel must follow the same PPE requirements as for staff.
	All non-essential personnel must undergo screening.
	For full guidance on Screening in a Healthcare Setting, Screening Tool Guidance , and Required Personal Protective Equipment (PPE) for Healthcare Facilities, visit coronavirus.dc.gov/healthguidance.
Zě	PLEASE NOTE: Non-essential medical personnel are determined by each individual facility. This determination should
	be made based on the medical needs of individual persons living in the ICF at that point in time.
Leaving for Medical Reasons	 Persons living in the ICF may leave for routine/elective medical appointments with the following
	considerations:
	o Persons living in the ICF do not need to quarantine upon return, regardless of vaccination status, unless
	they were exposed to a person with confirmed COVID-19. O Persons living in the ICF who leave for medical appointments AND engage in <u>any</u> other activity prior to
	returning to the ICF must follow guidelines outlined in the "Outings" section of this document.
g f	 Persons living in the ICF who are leaving for inpatient admission to a medical facility must follow the "Plan
	to manage new admissions" section of this document upon return.
ea	 Persons living in the ICF with laboratory-confirmed COVID-19 who have not been cleared from isolation should
	only leave the ICF for essential medical needs (i.e., dialysis), with prior notification of the receiving facility.
	Travel for medical care for COVID-19 positive persons should be provided by the ICF provider.



Activity Guidance

Non-medical personal care services are permitted.

For non-medical care services that occur outside the facility, see the "Outings" section on page 3.

Persons living in the ICF who meet the following criteria should not undergo personal care services:

- Currently isolated due to COVID-19
- Currently experiencing symptoms of COVID-19.
- Currently quarantined because of exposure to COVID-19

Screen all non-medical personnel at the beginning of their shift for fever and symptoms of COVID-19

• For full guidance on *Screening in a Healthcare Setting* and *Screening Tool Guidance*, visit coronavirus.dc.gov/healthguidance.

Ensure additional precautions are maintained:

- Persons living in the ICF must wear a well-fitting face mask.
- Non-medical personnel must wear a mask for source control while in the ICF.
- Provision of infection control education and competency to personnel, including:
 - o Hand hygiene
 - o PPE
 - o Cleaning and disinfection (e.g., contact time)
- Ensure cleaning and disinfection is performed in between services provided to persons living in the ICF using products on EPA List N.
- Designate a space for non-medical personal care services to occur in the ICF. Outdoors is preferred over indoors. If services are done indoors, use only well-ventilated spaces.

PLEASE NOTE: Non-medical personal care services will increase the risk of COVID-19 spreading in your facility. Please be cautious by ensuring all applicable screening and testing practices are in place before allowing any non-medical personal care services.

- Personal care services provided in the facility can be monitored and procedures can be reinforced to reduce infection control risk. Because of this, personal care services provided in the facility may offer less risk than having people leave the facility to receive services.
- When determining whether a person should participate in this activity, consider the person's ability to comply consistently with masking and social distancing, and the person's comfort level with the activity.

On-site group activities can occur within the ICF or the ICF's boundary.

Persons living in the ICF who meet the following criteria may be physically present during group activities:

- Not currently isolated due COVID-19 infection
- Not experiencing symptoms of COVID-19
- Not under quarantine for exposure
- Previously positive for the virus that causes COVID-19 AND have been cleared from isolation using the symptom-based or time-based clearance method

Fully vaccinated persons (who are not immunocompromised) living in the ICF can participate in outdoor on-site group activities with visitors who are also fully vaccinated without the use of a mask or social distancing.

Any person living in the ICF who is unvaccinated or immunocompromised (regardless of vaccination status), who is participating in a group activity with visitors that are unvaccinated or with unknown vaccination status, must socially distance and wear a mask.

Group size and activity space must allow for social distancing as described above.

Persons living in the ICF who meet the following criteria should not physically* be present for group activities:

- Currently isolated due to COVID-19
- Currently experiencing symptoms of possible COVID-19
- Currently quarantined because of exposure COVID-19

PLEASE NOTE: Group activities will increase the risk of COVID-19 spreading in your facility. Implement robust infection control measures (e.g., encourage residents to wear a mask, ensure access to hand hygiene supplies, ensure robust cleaning< and disinfection as needed> of activity space and equipment, etc.) and take measures to facilitate social distancing (e.g., remove chairs, space tables, stagger activity start and end times, etc.).

On-Site Group Activities

^{*}Consider virtual participation





	ENT OF THE DISTRICT OF COLUMBIA
Activity	Guidance
	 Persons living in the ICF may leave the facility for non-medical community activities with the following guidelines:
	 Persons living in the ICF and those accompanying them must:
	 Wear a well-fitting face mask during the entire outing (if possible) and maintain social
	distancing while outside the facility.
	If the person living in the ICF is fully vaccinated, they can choose to have close contact
	(including touch) with others in the community while wearing a mask.
	Fully vaccinated persons living in the ICF, visiting friends or family who are also fully
	vaccinated, may choose to interact outdoors without masks or physical distancing, but should
	wear masks when interacting indoors.
	Physical touch for an extended period of time with unvaccinated people or people with unknown
	vaccination status should be avoided.
	Immunocompromised residents should wear a mask and maintain social distancing at all times,
	regardless of vaccination status. Except in crowded settings and venues, fully vaccinated persons living in the ICF do not need
	to wear a mask outdoors as long as social distancing from other individuals outside their group
	can be maintained.
	 Clean hands frequently, using alcohol-based hand sanitizer when soap and water is not available.
	 Keep a log of activities to assist in completing the risk assessment and allow for contact tracing if
v	needed.
Outings	 Persons living in the ICF and family members should be educated about potential risks of public settings
L <u>ti</u>	and to avoid crowded, poorly ventilated areas.
Ō	o Upon return:
	 Screen the person living in the ICF for symptoms of COVID-19.
	 A risk assessment to evaluate the need for quarantine must be completed while DC is in Phase Two
	and should still be considered during Phase Three. Complete a risk assessment for the person
	living in the ICF if 2 or more persons living in the ICF are not fully vaccinated. Risk assessment
	should include:
	Was the person exposed to someone who is positive for COVID-19? (Answering yes to this
	question requires quarantine from other persons in the ICF, regardless of vaccination status.)
	What was the vaccination status of others involved in the activity?
	Approximate number of other people with whom the resident interacted.
	 Was the destination(s) indoors or outdoors? What was the approximate length of time that the person interacted with other people with
	What was the approximate length of time that the person interacted with other people with whom they don't reside?
	Did the person comply with social distancing?
	Were other people at the destination wearing masks?
	Can the person wear a mask if needed?
	Did the person comply with masking the entire time?
	 If a risk assessment is completed, persons living in the ICF determined to have participated a
	higher risk activity must quarantine.
	Facilities must test all persons living in the ICF if:
	Anyone who has been in the ICF (e.g., person residing in facility, direct care staff, visitor) is confirmed
	to have COVID-19;
	OR
	There is on-going transmission of the virus that causes COVID-19 in the ICF
F S	OR
<u> </u>	There are 1 or more COVID-19 cases in persons living in the ICF
ŧ	OR
.⊑	 There are 3 or more cases of acute illness compatible with COVID-19 in persons living in the ICF with
ng	onset within a 72-hour period
i <u>≥</u>	
l s	Test all persons living in the ICF as needed who meet the following criteria:
Testing Persons Living in the ICF	Experiencing symptoms of possible COVID-19
ers	If weakly, non-outbrook tooting (i.e., ourseillense tooting) of normana living in the ICE is no formed toot all
<u>a</u>	If weekly, non-outbreak testing (i.e., surveillance testing) of persons living in the ICF is performed, test all persons weekly who meet the following criteria:
ing	, · · · · · · · · · · · · · · · · · · ·
Sti	Anyone not currently isolated for laboratory-confirmed COVID-19 at time of specimen collection (accomplaints)
	(asymptomatic or symptomatic)
	Anyone who does not have a test pending for the virus that causes COVID-19 at time of specimen collection (asymptomatic).
	collection (asymptomatic or symptomatic)
	Anyone who is beyond 90 days of the date they were cleared from isolation due to a laboratory- application of the date they were cleared from isolation due to a laboratory- application of the date they were cleared from isolation due to a laboratory- application of the date they were cleared from isolation due to a laboratory- application of the date they were cleared from isolation due to a laboratory- application of the date they were cleared from isolation due to a laboratory- application of the date they were cleared from isolation due to a laboratory- application of the date they were cleared from isolation due to a laboratory- application of the date they were cleared from isolation due to a laboratory-
	confirmed COVID-19 diagnosis
	Unvaccinated or partially vaccinated





OOVERTIME	ENT OF THE DISTRICT OF COLUMBIA
Activity	Guidance
Testing Staff	Consider weekly testing of staff: Exclude staff who meet the following criteria from weekly surveillance testing:
	 Those isolated due to positive COVID-19 status at time of specimen collection
	Those with a history of COVID-19 and recovery within the last 90 days
e G	 Those who are fully vaccinated (unless showing signs or symptoms of COVID-19 infection).
, D	Continue reporting persons living in the ICF and staff consistent with DDS guidance and requirements.
a g	
Routine Data eporting	
Routine Data Reporting	
ш.	
	Dedicate space for cohorting and managing care for each of the following:
	Isolating persons living in the ICF with COVID-19
	 Quarantining new/readmissions with an unknown COVID-19 status who:
	 Are not <u>fully vaccinated</u>.
	o Do not have a recent history of COVID-19 and recovery within the last 90 days
	Have been exposed to a person with confirmed COVID-19 regardless of vaccination status.
Suc	 Are being transferred or admitted from an area or facility with a confirmed COVID-19 outbreak.
sio	Isolating persons living in the ICF who develop symptoms.
is	Quarantining persons living in the ICF who had exposure to a COVID-19 positive person
adn	Quarantining persons living in the ICF based on risk assessment.
ew	Have plans in place to dedicate staff for cohorting and managing care for each of the following:
- u	Persons isolated for COVID-19
ag	AND
lan	New/readmissions requiring quarantine.
Plan to manage new admissions	AND
	Persons isolated for symptoms of possible COVID-19
	AND
	Persons quarantined who had exposure to a COVID-19 positive person
	Facilities must verify vaccination status before quarantine is deferred.
	Acceptable forms of verification include:
	 Documentation in the medical record,
	 CDC vaccination card.
	Verbal statement of vaccination must not be accepted.